

# सरकारी गजट, उत्तराखण्ड

## उत्तराखण्ड सरकार द्वारा प्रकाशित

## रुड़की

खण्ड-9] रुड़की, शनिवार, दिनांक 22 मार्च, 2008 ई0 (चैत्र 02, 1930 शक सम्वत्)

संख्या-12

## विषय-सूची

प्रत्येक माग के पृष्ठ अलग-अलग दिये गए हैं, जिससे उनके अलग-अलग खण्ड बन सकें

विषय	पृष्ठ संख्या	वार्षिक चन्दा
A STATE OF THE STA		₹0
सम्पूर्ण गजट का मूल्य	=1	3075
माग 1—विज्ञप्ति—अवकाश, नियुक्ति, स्थान–नियुक्ति, स्थानान्तरण,		
अधिकार और दूसरे वैयक्तिक नोटिस	179-182	1500
भाग 1-क-नियम, कार्य-विधियां, आज्ञाएं, विज्ञप्तियां इत्यादि जिनको		
उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के		
अध्यक्ष तथा राजस्व परिषद् ने जारी किया	57-70	1500
माग 2—आज्ञाएं, विज्ञप्तियां, नियम और नियम विधान, जिनको केन्द्रीय		
सरकार और अन्य राज्यों की सरकारों ने जारी किया, हाई कोर्ट की विज्ञप्तियां, भारत सरकार के गजट और दूसरे		
काट का विज्ञास्तवा, नारत सरकार के नजट जार पूरार	96 - 1	
भाग 3-स्वायत्त शासन विभाग का क्रोड़-पत्र, नगर प्रशासन, नोटीफाइड		975
एरिया, टाउन एरिया एवं निर्वाचन (स्थानीय निकाय) तथा		
पंचायतीराज आदि के निदेश जिन्हें विभिन्न आयुक्तों		
अथवा जिलाधिकारियों ने जारी किया	_	975
भाग 4-निदेशक, शिक्षा विभाग, उत्तराखण्ड		975
भाग 5—एकाउन्टेन्ट जनरल, उत्तराखण्ड		975
भाग 6-बिल, जो भारतीय संसद में प्रस्तुत किए गए या प्रस्तुत किए		
जाने से पहले प्रकाशित किए गए तथा सिलेक्ट कमेटियों		922
की रिपोर्ट	±72	975
भाग 7—इलेक्शन कमीशन ऑफ इण्डिया की अनुविहित तथा अन्य		
निर्वाचन सम्बन्धी विज्ञप्तियां भाग 8-सूचना एवं अन्य वैयक्तिक विज्ञापन आदि		975
	The state of the	975
स्टोर्स पर्चेज-स्टोर्स पर्चेज विभाग का क्रोड-पत्र आदि		1425

#### भाग 1

विज्ञप्ति-अवकाश, नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस

## समाज कल्याण अनुभाग-3

## अधिसूचना

04 मार्च, 2007 ई0

संख्या 147/XVII(1)-03/2007-35(ंस0क0)/2002-चूंकि, उत्तरांचल (नाम परिवर्तन) अधिनियम, 2006 की घारा 6 के अधीन उत्तराखण्ड शासन, उत्तराखण्ड राज्य के सम्बन्ध में लागू विधि को आदेश द्वारा, निरसन अथवा संशोधन के रूप में, ऐसे अनुकूलन एवं उपान्तरण करें सकता है, जो आवश्यक व समीचीन हों;

तथा, चूंकि, उत्तरांचल अल्पसंख्यक आयोग अधिनियम, 2002, उत्तरांचल (नाम परिवर्तन) अधिनियम, 2006 की धारा 6 के अधीन उत्तराखण्ड राज्य में लागू है;

अतः, अब, उत्तरांचल (नाम परिवर्तन) अधिनियम, 2006 (अधिनियम संख्या 52, वर्ष 2006) की घारा 6 द्वारा प्रदत्त शक्ति का प्रयोग करके राज्यपाल, उत्तरांचल अल्पसंख्यक आयोग अधिनियम, 2002 को उत्तराखण्ड राज्य में निम्नलिखित प्राविधानों के अध्यधीन लागू रखने की सहर्ष स्वीकृति प्रदान करते हैं:—

## उत्तराखण्ड (उत्तरांचल अल्पसंख्यक आयोग अधिनियम, 2002) अनुकूलन एवं उपान्तरण आदेश, 2007

1-संक्षिप्त शीर्षक एवं प्रारम्म-

- (1) इस आदेश का संक्षिप्त नाम उत्तराखण्ड (उत्तरांचल अल्पसंख्यक आयोग अधिनियम, 2002) अनुकूलन एवं उपान्तरण आदेश, 2007 है।
  - (2) यह तुरन्त प्रवृत्त होगा।

2-"उत्तरांचल" के स्थान पर "उत्तराखण्ड" पढ़ा जाना-

उत्तरांचल अल्पसंख्यक आयोग अधिनियम, 2002 में जहां—जहां शब्द "उत्तरांचल" आया है, वहां—वहां वह शब्द "उत्तराखण्ड" पढा जायेगा।

आज्ञा से.

विनीता कुमार, प्रमुख सचिव।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 147/XVII(1)-03/2007-35(1000)/2002, dated March 04, 2007 for general information:

#### NOTIFICATION

March 04, 2007

No. 147/XVII(1)-03/2007-35(1000)/2002--Whereas, under section 6 of the Uttaranchal (Alteration of Name)

Act, 2006, the Uttarakhand Government may, by order, make such adaptation and modification of the law by way
of repeal or amendment, as necessary or expedient;

AND, WHEREAS, the Uttaranchal Commission for Minorities Act, 2002 is in force in the State of Uttarakhand under section 6 of the Uttaranchal (Alteration of Name) Act, 2006;

Now, Therefore, in exercise of the powers conferred by section 6 of the Uttaranchal (Alteration of Name) Act, 2006 (Act No. 52 of 2006), the Governor is pleased to direct that the Uttaranchal Commission for Minorities Act, 2002 shall have applicability to the State of Uttarakhand, subject to the provisions of the following Act:—

THE UTTARAKHAND (THE UTTARANCHAL COMMISSION FOR MINORITIES ACT, 2002)
ADAPTATION AND MODIFICATION ORDER, 2007

#### 1. Short title and Commencement--

- (1) This order may be called The Uttarakhand (The Uttaranchal Commission for Minorities Act, 2002) Adaptation and Modification Order, 2007.
  - (2) It shall come into force at once.

## 2. "Uttarakhand" to be read instead of "Uttaranchal"--

In The Uttaranchal Commission for Minorities Act, 2002, wherever the expression "Uttaranchal" occurs, it shall be read as "Uttarakhand".

By Order,

VINITA KUMAR, Principal Secretary.

वित्त अनुभाग-9 विज्ञप्ति/पदोन्नित 11 मार्च. 2008 ई०

संख्या 28/XXVII(9)/मनो० कर/2008-तात्कालिक प्रमाव से मनोरंजन कर विभाग, उत्तराखण्ड में चयन वर्ष 2007-08 में उपलब्ध आमोद एवं पणकर अधिकारी, वेतनमान रु० 6,500-10,500 की एक रिक्ति पर. श्री वी०पी० रावत, आमोद कर निरीक्षक, ग्रेड-। को नियमित चयनोपरान्त पदोन्नत करने के साथ ही 02 वर्ष की परिवीक्षा पर रखते हुए जनपद अल्मोड़ा में एतद्द्वारा तैनात किया जाता है।

श्री रावत की उक्त पदोन्ति/तैनाती, उ०प्र० राज्य से, उनसे वरिष्ठ अधिकारी के उत्तराखण्ड में योगदान करने पर, तदनुरूप परिवर्तनीय होने के प्रतिबन्ध के अधीन की जाती है।

श्री रावत के द्वारा अपने मूल पद के साथ-साथ जनपद, पिथौरागढ़ तथा चम्पावत का कार्य भी देखा जायेगा। इसके लिये उन्हें पृथक से वेतन/भत्ते अनुमन्य नहीं होंगे।

आज्ञा से, आलोक कुमार जैन, प्रमुख सचिव।

गृह विभाग अधिसूचना (शक्ति) 12 मार्च, 2008 ई0

संख्या 370/XX(2)—109/वि0वि0परी0/2004—दण्ड प्रक्रिया संहिता 1973 (अधिनियम संख्या 2, सन् 1974) की धारा 21 के अधीन शक्ति का प्रयोग करके, राज्यपाल महोदय कुमाऊँ विश्वविद्यालय, नैनीताल, उत्तराखण्ड द्वारा संचालित मुख्य परीक्षाओं के लिये, जनपद नैनीताल, ऊधमसिंह नगर, अल्मोड़ा, बागेश्वर, पिथौरागढ़ व चम्पावत के समस्त परीक्षा केन्द्रों के केन्द्राध्यक्षों को 28 मार्च, 2008 से 28 मई, 2008 तक की अविध के लिए सहर्ष कार्यपालक मजिस्ट्रेट, नियुक्त करते हैं, जो विशेष कार्यपालक मजिस्ट्रेट कहलायेंगे और उन्हें सम्बन्धित केन्द्रों की सीमा के अन्तर्गत कार्यपालक मजिस्ट्रेट की ऐसी सभी शक्तियां प्रदान करते हैं, जो उक्त संहिता के अधीन कार्यपालक मजिस्ट्रेट को प्रदान की जा सकती हैं, जिनका वे उन परीक्षा केन्द्रों की सीमा के अन्तर्गत क्षेत्रों में उपयोग कर सकेंगे, जिनके वे केन्द्राध्यक्ष हैं।

आज्ञा से,

एन० एस० नपलच्याल, प्रमुख सचिव, गृह।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 370/XX(2)-109/Exam/2004, dated March 12, 2008 for general information:

#### NOTIFICATION

(Power)

### March 12, 2008

370/XX(2)-109/Exam/2004--In exercise of the power conferred under section 21 of the Criminal Procedure Code, 1973 (Act No. 2 of 1974), the Governor is pleased to appoint the Superintendents of all the Examination Centres in the District Nainital, Udhamsingh Nagar, Almora, Bageshwar, Pithoragarh, and Champawat, for the Main Examinations being conducted by Kumaon University, Nainital Uttarakhand as Executive Magistrates, who shall be called Special Executive Magistrates and confer all such powers on them as may be conferred on Executive Magistrates under the Code for the period beginning 28 March, 2008 to 28 May, 2008, which they may use within the area of Examination Centres of which they are Superintendents.

By Order,

N.S. NAPALCHYAL, Principal Secretary, Home.

## परिवहन अनुभाग-1 अधिसूचना

29 फरवरी, 2008 ई0

संख्या 33/IX/246/2008-श्री राज्यपाल, अधिसूचना संख्या 353/IX/246/2006, दिनांक 28-04-2006 का अधिक्रमण करके, उत्तर प्रदेश मोटरयान नियमावली, 1998 (उत्तराखण्ड में यथा प्रवृत्त तथा समय-समय पर यथा संशोधित) के नियम 55 के उपनियम (7) के अधीन श्री विनोद शर्मा, अपर सचिव, परिवहन एवं अपर परिवहन आयुक्त को राज्य परिवहन प्राधिकरण के सचिव के रूप में नियुक्त करने की सहर्ष स्वीकृति प्रदान करते हैं।

आज्ञा से,

एस० रामास्वामी, सचिव।

## राज्य सम्पत्ति अनुभाग-2 अधिसूचना / प्रकीर्ण

07 मार्च, 2008 ई0

संख्या 201/XXXII/2008-शासन की अधिसूचना संख्या 1141/एक-6/2004, दि० ३० जुलाई, 2004, 1149/XXXII/2006, दि0 02 अगस्त, 2006 तथा 1170/XXXII/2007, दि0 28 नवम्बर, 2007 द्वारा ट्रांजिट हॉस्टल (अस्थाई विद्यायक दिवास) जो राज्य सम्पत्ति विभाग के प्रशासकीय नियंत्रण में आता है, में विद्यान सभा सदस्यों के कक्षों में अनुमन्य करायी गयी साज-सज्जा के अतिरिक्त निम्नलिखित साज-सज्जा/उपकरण अनुमन्य कराये जाने की महामहिम श्री राज्यपाल सहर्ष स्वीकृति प्रदान करते हैं :--

क्र०सं०	नाम वस्तु	संख्या
01	दीवान बॉक्स हेतु गद्दा (कवर सहित)	01
02	बड़े कक्ष के पार्टिशन हेतु रॉड व पर्दा	01

आज्ञा से.

उत्पल कुमार सिंह, सचिव।

पी०एस०यू० (आर०ई०) 12 हिन्दी गजट/200—भाग 1-2008 (कम्प्यूटर/रीजियो)।

मुद्रक एवम् प्रकाशक-संयुक्त निदेशक, राजकीय मुद्रणालय, उत्तराखण्ड, रुड़की।



# सरकारी गजट, उत्तराखण्ड

## उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की, शनिवार, दिनांक 22 मार्च, 2008 ई0 (चैत्र 02, 1930 शक सम्वत्)

## भाग 1-क

नियम, कार्य-विधियां, आज्ञाएं, विज्ञप्तियां इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के अध्यक्ष तथा राजस्व परिषद् ने जारी किया

OFFICE OF THE DIRECTOR GENERAL, MEDICAL HEALTH & FAMILY WELFARE (C.M.S.D. SECTION) UTTARAKHAND, DEHRADUN

## NOTIFICATION NO. EQUIPMENT-1/2008

## RATE CONTRACT OF EQUIPMENTS

February 20, 2008

No. 15 P/Store/Equip. Pur./4/2007/6304--In exercise of the power delegated in G.O. No. 1246/Chi-3-2002-122/2002, dated 6.1.2003 the Rate Contract of equipment mentioned in Annexure 'B' is made with the firms mentioned in.

Annexure 'A' for the supply in the State Government in Medical & Health Services Department for the period until the supply is satisfactory completed in accordance with the aforesaid (ONLY) for RC and one year from the date of notification for the Rate Contract until extended by a special order, on the following terms & conditions:--

- The firms shall made supplies in manufacturers original packing as indicated in column-5 for name of makes unless otherwise stated. The supplying firms will be required to clearly mention on the lable the name of the manufacturer.
- 2. The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods/Equip, are new and unused of the most recent or current models as per specifications having no defect arising from design materials or workmanship or from any fact or omission of the supplier.
- 3. Indenting Officers are requested to make the 90% payment within 30 days after receipt of goods varifying the conditions of equipment unless they have valid reasons for withholding the same, in which case the circumstances under which the payment is withhelded should be communicated to the Director General of Medical Health & F.W. Uttarakhand, Dehradun.
- Indenting Officers may place order direct on the firms and copy to the manufacturing firms in case supplies are to be made through distributor alongwith a copy thereof to this office.

- 5. Deductions from the bills, if any, should be made only after getting an explanation from the supplying firms about shortage or breakage within a month of receipt of goods from the supplying firms obtained. In no case goods should be accepted without verification where there any doubt has arisen or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram followed by regular letter.
- The Indenting Officers are advised to return the duty free excise passes to the supplying firms duly received and signed at the earliest after receipt of goods.
- 7. Where excise duty has been mentioned inclusively the firm will certify that excise duty claimed by them has actually been paid by them to Govt. Supplying firms will have to furnish a certificate along with the bill to the effect that excise duty claimed in the actual amount assessed by the Govt. of India and is levyable during the period it has been claimed, the supplier will also have to certify that the items on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8. Every care has been taken to see that rates quoted and approved have been correctly notified in the Notification but in case of any discrepancy either in rates or in specification or any nature in other details, it will be the duty of the firm that they should intimate to the C.M.S.D. under registered cover letter within a month so that necessary action may be taken.
- The firms while sending the bills will certify that the rates charged are applicable and have also been approved by the CMSD and in case of any default they are prepared to make adjustments.
- 10. The firms should also certify on the bills that the supplies are according to specifications and the make approved by the Director General, Medical Health & F.W., Uttarakhand and are in accordance with the latest Rules & Regulations pertaining to that equipment to be use in the country.
- 11. The attention of the Indenting Officers is drawn to the various lists of items published by the firms. It has been found that in some cases the firms includes unapproved items in their lists of approved items. It's responsibility of the Indenting Officers to consult the Gazette Notification before placing the actual order and see that the order for only approved items are placed. Such cases of Misrepresentation should immediately be brought to the notice of Director General of Medical Health & F.W., Uttarakhand (C.M.S.D.), Dehradun sending copy of the list printed, by the particular firms in case any firms is found doing so, strict action will be taken against them and their names will be deleted from Rate Contract without any notice to them and in addition they may be debarred.
  - 12. No Assistance will be provided for release of the raw material or procurement of import licence.
- 13. The Director General, Medical Health & F.W. Uttarakhand, C.M.S.D., Dehradun reserves the right to call Tender for Quantity Contract or Paralled Rate Contract and also to finalise them at any time during the period of the Rate Contract.
- 14. It will be condition of the contract that although during the currency of the contract the price approved in this Rate Contract arrangement will remain firm but however in the event of prices going down the contractor shall promptly furnish such information to enable this office to amend the contracted rates for supplies at Rate lower than the rate contract, the attention of the firms is drawn to it.
- 15. Any sum of money payable to the contractor including the security deposits returnable to them under this contract may be forfieted by the Director General, Medical Health & F.W., Uttarakhand, Dehradun and set of against any claim of the Governor and payment of a sum of money arising cut of or under any other contract made by contractor with the Governor.
- 16. Director General, Medical Helath & F.W., Uttarakhand, Dehradun or his authorized representative may inspect the premises of the manufacturing units to assess and verify that the item quoted as own made are actually manufactured by them.

17. All supplies shall have to be made strictly confirming to approved specification in accordance with the

latest approval.

18. If at any time during the said period of contract contractor reduces the sale price of such stores or sells such stores to any other person at price lower than the price chargeable under the contract he shall forth with notify such reduction of sale to the Director General, Medical Health & F.W., Uttarakhand, Dehradun and the price payable under contract for the stores supplied at the price payable under contract for the stores supplied at the date of coming into force of such reduction of sale shall stand correspondingly reduced. The above stipulation will not however apply to—

a. Exports by the Contractor.

b. Sale of goods as original goods at a price lower than the price charged for normal replacement.
 19. The contractor shall furnish to the Director General, Medical Health & F.W., Uttarakhand, Dehradun at

intervals mentioned below :--

(A) Within a month of commencement of the contract a certificate as to the rates prevailing of the commencement of the rates contract.

(B) Within a month of expiry of every six month a certificate as to the rates revalling during proceding six

months.

(C) And at the end of the rate contract within a month of expiry of the contract a certificate on the following form:—

I/We certify that the stores description indentical to the store supplied to Government under the contract here in have not been sold by us to any other person after the commencement of the rate contract during the period of the rate Contract from 20.02.08 to 31.03.09 at a price lower then the price charged to the Government under the contract for the quantity except of under. Sub clause (A) & (B) of para 10 above.

20. Supplies must be completed within time limit as stated in order/issue of the order (which ever is earlier) from the indenting officer. Under unavaidable circumstances in continuation of supply order, a further period of one month can be granted for execution of supply order on sale discrition of indenting officer failing which full information should be sent to this Directorate (CMSD) section to take necessary action against the firm.

21. The Indenting Officers as should give the supply order to the firm whose rates are lowest as mentioned

in the enclosed annexure :--

(a) If lowest quoting firm does not supply within stated time from the date of issue of the order from Indenting Officer a further period can be extended up to four weeks if the firm apply for such extension before the expiry of stated time giving valid satisfactory reasons. In case of non-supply the names of such defaulting firms should be intimated to Government (C.M.S.D.) section of the Directorate by registered post so that the necessary action against the firm will be taken.

22. Full payment shall be made on complete installation checking & on satisfactory performance receipt of goods its checking etc. after 90 days from the date of installation & checking performance of goods by the

Indenting Officers.

23. In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family Welfare, Uttarakhand, Dehradun immediately for issuing necessary corrigendum in this regards and they will also charge the reduced rates from the Indenting Officers of the State. In case such information is received from the contracting firm that they are selling items approved in their favour at the reduce rates either in open market or any where also. The Director General, Medical Health & F.W., Uttarakhand, Dehradun reserves the right to cancel the items of entire contract finalised with them and to debar the firm from further tendering.

24. In case supplies are found substandard for which part payment/full pament has been made the firm may be asked to replace, them within the specified period this however shall not dobar Indenting Officer of Director

General, Medical Health & F.W., Uttarakhand for action against the firm.

In case firm fails to replace the material/equipment within the period specified by the Indenting Officer the firm shall refund the full payment received by them forth with irrespective of the fact that the supplied item may have been used for some time, they may in addition beliable for action as per clause of the agreement.

25. This contract shall exclusively be governed by the terms and conditions mentioned in this Notification the relevant conditions mentioned in the tender notice CMSD tender form and relevant conditions mentioned in the agreement form (Sent to the firm along with acceptance letter seperately) and agreements agreed by the firm.

26. The Indenting Officers are advised to report the damages/defects noticed in supplies to suppliers for Notification repair replacement as the case may be within sixty days of the receipt in stallation/performance on the material failing which it will be their own responsibility.

- 27. In case of any complaint against the supplier for delay in supplies or defective supplies etc., the Indenting Officers are advised to report the matter to the Director General, Medical Health & F.W., Uttarakhand, Dehradun (CMSD) Section promtly for necessary action by registered post.
- 28. Supplies will have to be made F.O.R. destination by read Railway station in Uttarakhand by Goods train as shown in annexure 'A' for order of Rs. 1000/- and above.
- 29. The Indenting Officers are requested to send the copy of the supply order to Sales Tax and Income Tax authorities to enable them to keep watch on the payment of Taxes.
- 30. A separate agreement regarding Warranty/Post Warranty/CMC/AMC service will have to be signed by the supplier.
  - 31. In case of any legal Dispute the area of Jurisdiction will be Uttarakhand Only.

### ANNEXURE 'A'

## Equipment-1/2008

## Enclosure Notification No. 15P/Store/Equip. Pur./4/2007/6304

### Date 20.02.2008

Subject-Rate Contract Arrangement Of Equipment For The Period From 20.02.2008 to 31.03.2009

SI.No.	Name of the firm	Telephone no	F.O.R. Destination
1.	M/s Shree Chandra Mauli, 101 Vasundhra Colony, Tank Road, Jaipur-302018	0141-(R) 2705995, Fax No. 0132-2660861	F.O.R. Destination
2.	M/s Samiksha Industries, E-11, Nehru Colony, Dehradun	0135-2668018 Fax No. 2668018	-Do-
3.	M/s Surgicoin Mediequipment (P.) Ltd., 1701-04, HSIDC Industrial Rai Sonipat, Hariyana	0130-2367562 Fax No. 0130-2367561	-Do-
4.	M/s General Medical Equipments, B-15, Sector 6, Noida 201 301, Distt Gautambudh Nagar (U.P.)	0120-4327095, 4323676 Fax No. 0120-4323675	-Do-
5.	M/s Medico Imaging, 101, Shiv Industrial Estate, K.B.B. Marg, Chinchpokli (E) Mumbai-400 012	022-23712377 Fax No. 022-23791272	-Do-
6.	M/s Concept Integrations (I) Pvt. Ltd., Salunkhe Crystal, S.No. 1/8/1, NDA Pashan Road, Bawdhan, Pune-411 021	020-22952170, 22952171, 22952485 Fax No. 020-22951929	-Do-

Item with Specification	Š	Rates per unit	Ta	Taxes		AMC/ CMC	Make/Brand/ Supplying Firm	Kates		Velliain
			ED/Custom Duty	SST/	CST			CMSD D. Dun	F.O.R. Destination	
FOETAL DOPPLER		7300,00	lnc.	Inc.	Inc. @ 4%	2100.00			9,692.00 with AMC	
Unit should be capable to perform general prenatal exams and labor & delivery use							Medi. equip. Pvt. Ltd.		inc. of all taxes	
Unit should have enhanced 2 MHz probe for picking up fetal heart tones as early as 10 weeks										
There should be autocorrelation technology for foetal doppler's digital Foetal Heart Rate FHR display										
The unit should be fastest responding and most accurate										
The Doppler should have a waterproof and shock-resistant probe for added protection against fluids, spills and bumps										
Unit should operate on 6/9V Duracell type battery with display panel										
Should provide with carrying case and transducer/probe										
The unit should confirm to BIS/ISI/ISO/FDA/CE or equivalent										

Item with Specification		O.	Rates per unit	Ta	Taxes		AMC/ CMC	Make/Brand/ Supplying Firm	Rates		Remain
				ED/Custom Duty	SST/ VAT	CST			CMSD D. Dun	F.O.R. Destination	
PULSE OXYMETERS	IETERS		43000.00	N.	ž	Inc. @ 12.5%	Inc.	Охусоп		48,375.00 with AMC	
The unit should have the foll tions or equivalent.	The unit should have the following specifications or equivalent.					0		M/s Concept		taxes	
Method: Dual wave Oxygen saturation:	Dual wavelength LED tion:						-11	1487			
Range Resolution	0-99%										
Accuracy ±2 at 70-1	± 2 at 70-99% range. ±3 at 40-70% range										
ging time select	<ul> <li>Averaging time selectable (3-21 secs)</li> </ul>										
Search time selectable (10-40 sec)	le (10-40 sec)										- 25
Sensors Re-usable Re-usal multi-sit	Re-usable finger probe. Re-usable flexible multi-site probe										
Pulse rate :											
■ Waveform Plethysmo	Plethysmographic or bar										
form									_		
Range	Z0-Z5u ppm										
Resolution	1 bpm										
Accuracy Display:	±2 bpm Saturation Pulse Rate										
	Waveform										
Alarms :					_						
■ High SpO2	Range 70-99%										
■ Low SpO2	Range 50-99%				_						

EDICUSION NI	Item with Specification		Š.	Rates per unit	Ta	Taxes		AMC/ CMC	Make/Brand/ Supplying Firm	Rates		Remark
# High pulse					ED/Custom Duty	SST/ VAT	CST			CMSD D. Dun	F.O.R. Destination	
■ High pulse 20-250 bpm  ■ Low pulse 20-200 bpm  ■ System alarms Probe failure Poor signal Power failure Poor signal Power failure Power failure Power Signal Power Signal Power Signal Power Signal Power 20 sec  ■ Display 2-12 hours 30Hz  Rechargeable Internal battery Battery back-up at least 2 hours Battery back-up at least 2 hours 2 Re-usable 3 Re	PULSE OXY	METERS		43000.00	Ē	¥.	lnc. @ 12.5%	lnc	Oxycorr M/s Concept		48,375.00 with AMC Inc. of all taxes	
■ Low pulse 20-200 bpm Probe failure Poor signal Power failure Poor signal Power failure Power failure Power failure Power failure Power 20-20 bpm 12 hours 12 hours 200240 VAC, 50Hz Rechargeable Internal battery Battery back-up at least 2 hours Accessories 2 Re-usable siger probes for adult and neonatal 2 Re-usable	■ High pulse	20-250 bpm										
System alarms Probe failure  Trends:  Trends:  Memorty  12 hours  20 sec  20/240 VAC.  50Hz  Rechargeable Internal battery Battery back-up at least 2 hours  Accessories  2 Re-usable 2 Re-usable 2 Re-usable 3 Re-usable 2 Re-usable 4 Respondatal 5 Re-usable 6 Re-usable 7 Re-usable 7 Re-usable 8 Re-usable 9 Re-usable 9 Re-usable 9 Re-usable 1 Re-usable 9 Re-usable 1 Re-usable 1 Re-usable 2 Re-usable 2 Re-usable 2 Re-usable 5 Re-usable 6 Re-usable 7 Re-usable 7 Re-usable 8 Re-usable 9 Re-usable	■ Low pulse	20-200 bpm										
Trends:  Memorty 12 hours  Data interval 20 sec  Display 2-12 hours  Power 50Hz  Rechargeable Internal battery  Battery back-up at least 2 hours  Accessories 2 Re-usable 2 Re-usable 2 Re-usable 3 Re-usable 3 Re-usable 4 Re-usable 5 Re-usable 5 Re-usable 5 Re-usable 6 Re-usable 6 Re-usable 6 Re-usable 7 Re-usable 6 Re-usable 7 Re-usable 6 Re-usable 7 Re-usable 7 Re-usable 7 Re-usable 6 Re-usable 7 Re-usable 7 Re-usable 7 Re-usable 6 Re-usable 7 Re-usable 7 Re-usable 7 Re-usable 7 Re-usable 6 Re-usable 6 Re-usable 7 Re-usable 8 Re-usable 8 Re-usable 8 Re-usable 8 Re-usable 8 Re-usable 9 Re	System alarms	Probe failure Poor signal Power failure										
orty 12 hours Interval 20 sec lay 2-12 hours 220/240 VAC, 50Hz Rechargeable Internal battery Battery back-up at least 2 hours bes for adult and neonatal 2 Re-usable 2 Re-usable 2 Re-usable 3 Re-usable bes for adult and and neonatal 3 re-usable bes for adult and neonatal 3 re-usable bes for adult and neonatal												
interval 20 sec lay 2-12 hours 220/240 VAC, 50Hz Rechargeable Internal battery Battery back-up at least 2 hours sessories 2 Re-usable Jith-site probes for adult and hould confirm to BIS/ISI/ISO/FDA/ ivalent	■ Memorty	12 hours										
lay 2-12 hours  220/240 VAC. 50Hz Rechargeable Internal battery Battery back-up at least 2 hours bessories 2 Re-usable 2 Re-usable 2 Re-usable 2 Re-usable 3 Re-usable hould confirm to BIS/ISI/ISO/FDAV iyalent	<ul> <li>Data interval</li> </ul>	20 sec										
220/240 VAC, 50Hz Rechargeable Internal battery Battery back-up at least 2 hours essories 2 Re-usable 2 Re-usable 2 Re-usable 2 Re-usable hould confirm to BIS/ISI/ISO/FDA/ watent	■ Display	2-12 hours										
SOHZ Rechargeable Internal battery Battery back-up at least 2 hours Accessories 2 Re-usable ger probes for adult and neonatal 2 Re-usable 2 Re-usable e unit should confirm to BIS/ISI/ISO/FDA/ E or equivalent	7. Power	220/240 VAC,										
Rechargeable Internal battery Battery back-up at least 2 hours Accessories 2 Re-usable ger probes for adult and neonatal z Re-usable confirm to BIS/ISI/ISO/FDA/ is or equivalent		2H09										
Accessories 2 Re-usable ger probes for adult and neonatal xible multi-site probes for adult and onatal e unit should confirm to BIS/ISI/ISO/FDA/		Rechargeable										
Accessories 2 Re-usable ger probes for adult and neonatal xible multi-site probes for adult and onatal e unit should confirm to BIS/ISI/ISO/FDA/		internal battery										
Accessories 2 Re-usable ger probes for adult and neonatal xible multi-site probes for adult and onatal e unit should confirm to BIS/ISI/ISO/FDA/		Battery back-up					. 6		3			
8. Accessories 2 Re-usable finger probes for adult and neonatal 2 Re-usable flexible multi-site probes for adult and neonatal The unit should confirm to BIS/ISI/ISO/FDA/ CE or equivalent		at least 2 hours										
finger probes for adult and neonatal  2 Re-usable flexible multi-site probes for adult and neonatal The unit should confirm to BIS/ISI/ISO/FDA/ CE or equivalent		2 Re-usable										
flexible multi-site probes for adult and neonatal The unit should confirm to BIS/ISI/ISO/FDA/ CE or equivalent	finger probes for adult an	d neonatal										
flexible multi-site probes for adult and neonatal The unit should confirm to BIS/ISI/ISO/FDA/ CE or equivalent	M 100 CO	2 Re-usable										
The unit should confirm to BIS/ISI/ISO/FDA/	flexible multi-site probes 1 neonatal	or adult and										
	The unit should confirm to CE or equivalent	BIS/ISI/ISO/FDA/										

Item with Specification Ot	ŧ	Rates per unit	Ta	Taxes		AMC/ CMC	Make/brand/ Supplying Firm	Rates		Кетагк
			ED/Custom Duty	SST/ VAT	CST			CMSD D. Dun	F.O.R. Destination	
60 mA PORTABLE X-ray UNIT		85000.00	Ē	E	inc. @ 4%	11100.00 CMC	M/s General Medical Equipment		88,400.00 with CMC lnc. of all taxes	
60mA-100KV full wave rectified Portable/ Mobile Unit										
Control; having voltage & mA meter. Digital Display of mA/KV/mAs. 35 to 100 kvp in 15 steps. 24 steps timer										
Tube Head: Having BEL DSA-3 tube, H.V. transformer, and rectifiers, or equivalent. Stand: Maximum height 40"at parking position so that it can be transported in lift. It should be counter balanced and on three wheels.										
Light Beam Colimator. Power supply should be 220-240 VAC 50Hz Unit must of ISO/BIS & AERB Certified										
									Į.	

m	_
ĸ	ξ
-	
ü	1
Ξ	ī
=	5
7	₹
'n	í.
H	Ξ.
ζ	٥
1	n

Veille III	F.O.R. Destination	a,685.00 Inc. of all taxes
Kates	CMSD D. Dun De	en ⊑ ∰
Make/Brand/ Supplying Firm		Surelife M/s Samiksha
AMC/ CMC		
	CST	\(\bar{z}\)
Taxes	SST/ VAT	Z
Ta	ED/Custom Duty	E
Rates per unit		3685.00
Q.		
Item with Specification		Size-650 mm to 720 mm Length-1000 mm to 1100 mm Height-910 mm to 950 mm Floor to seat height 480 mm to 510 mm 25 mm diameter 18 SNG ERW tubular frame fitted with metal seat & back Provide detachable 30 mm water proof cushion for seat and back Adjustable horizontal Aluminium foot rest 90°-120°-with tread flats Half round wooden hand rest with 25 mm cushion Solid rubber tyre wheel 610x37 mm fitted with self propelling with steel hoops and brake arrangement 203 mm dia swivelling castors in front Full length axle should be provided to fix the rickshaw wheel Epoxy powder coated with grey color with minimum 50 microns Above product should conform to applicable ISI standard in respect of materials, welding process, test and performance Conforming to BIS 6571 standard or equivalent should provide one set
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1

9	,
ú	j
Ξ	ī
	٥
C	1
u	J
3	I
1	;

	Item with Specification	Ġ.	Rates per unit	Taz	Taxes		AMC/ CMC	Make/Brand/ Supplying Firm	Rates		Кешагк
				ED/Custom Duty	SST/	CST			CMSD D. Dun	F.O.R. Destination	
	2	67	4	2	9	7	80	6	10	11	12
4	VERTICAL AUTOCLAVE		29434.00	Z	Ē	Inc. @4%	į.	M/s Shree Chandra Mauli		30,611.00 Inc. of all taxes	
- w	The unit should meet the following specifications or equivalent:										
- 4 6 4 6 6	1978 (Part I) with latest amendments. 2. The Autoclave shall be a Vertical cylindrical high Pressure sterilizer, Double shell with Steam jacketed. 3. The chamber, ring and back plate and steam generator shall be of stainless steel. 4. The jacket shall be insulated with asbestos sheet or glass wool to minimize the heat losses. 5. The sterilizer shall be provided with a pressure locking type safety door, which locks automatically as soon as the chamber is under pressure, unlocking only when the chamber is exhausted. 6. The sterilizer shall be provided with a pedal lifting device and radial locking sytem. 7. The Sterilizer shall be provided with a pedal lifting device and radial locking sytem. 7. The Sterilizer shall be provided with a pedal lifting device and radial locking sytem. 7. The Sterilizer shall be provided with a pedal lifting device and radial locking sytem. 7. The Sterilizer shall be provided with a pedal lifting device and radial locking sytem. 8. Multiport main operating valve to control the entire steam sterilization. 9. Pressure gauge for jacket. 9. Compound gauge for Chamber.							Ģ.			51
	Plug Screen.     Non-Return Valve, Safety Valve.     Powerful Ejector.     Self-Sterilizing Vacuum Drier.     Arrangement to avoid contamination of		:1								
	Sterilized Load.  Vacuum Breaker.  Pressure Control Switch.										
	Automatic low water level cut off Devices.										
	Indicating lamp of Operation.  The class shall be mounted on aluminism.						-				
0	enameled tubular steel frame (Minimum										

																																																- 1
		_			_	_									_		_	_	_	-		_		-	_	_		_	-		-		-		_		-						-					
							7.4											3 3										_													_		_	_				
10.15		Fee																																														
	-	-	_	_		0			_		_		_	_				_		_	-	_	_	_		-	- 1				-	-		-	-	-	-	-										
																																		1														
Yes (				_	eu.						_							_			_					_	_			_							_	_	-					_	-	_	_	_
					_				_	-	-		-	_	_	_					_						_			_			-	_	-	_	_	_	_		-	-	_			-	-	-
																																		_											_			
	_	_		-				_					_			_		_	_	_		_	_	_			_	-			-								_		_							
					_		_	_	_	2	_									_				_	_		_	_	_		_	_	_	_		-	_				-		_	_	-7		_	
		52				_	_							_	_		_	_	-	_	_		-	_	_		_			_	_	_	_		_	_		-	_	_	_		_	_			_	_
_	-		_	_		201				×	_	_	020					100	<i>e</i>	_	_		(a	0 0	Q.	_	-	_	_	ú		-	_	-			SSS	St		-01	_	0)				_		
hall include an airtight	of shall have a filmer of 0-60	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cold clocks a street star	e snall flave a single prece	Stainless Steel.	all be made of heavy gauge	of Sheet with leak proof		Bulbi	be chromium plated preferable	ant: Flanged type immersion	ents made of high-grade	Il conform to IS: 4159-1983	nendments or Equivalent.	of shall ensure complete	more pareonnel against	The second formation of the se	enings.	it shall be done at 1.0 annes	of Sterilizer chamber and 2	king pressure of the Jacket	)	Inctable 19 no (Adjustable	essure 10-10 psi (Aujoriani	ure of 120 Degrees ceruigad	t 134 Degree Centrigrade.	ssure: 2.2 Kg/Centimeter	imber Size:Inner-300 mm	500mm Height,	Mage & Power 220-240 VAI	Hz, 3-6 KW.	ith to economize power	n. Supplied with complete	for operation.	10°	tainless Steel Drums Size	a x 240 mm Height seamle	1-1979 with latest amendmen	#	al Thermometer to show the	emperature.	mograph to record sterilizing	ø.		skets, 2 Nos. Glass Tubes,	Equipment shall conform to	r standards and general	safety standards for medical Equipment
Unit Design s	pressure proc	The equipment	munico.	The Autoclay	door made of	The jacket sh	Chainlace Sipp	Oldlingso Oliv	argon arc we	All fittings shall	Heating Eleme	heating elem	meterial shall	with latest an	The equipme	The equipme	salety to the			the working c	times of work	Voenectively			at a temperatu	and 30 psi a	Desired Pres	Square, Cha	Diameter x 5					cord & plug i	•		275 mm Di	to IS : 3831	or Equivalen	0.5-0	chamber te		temperatur	71. Spares :	, 2 Nos. Gat	I No. Tool Kit.	elevant safety	safety standards
o)	C	2		-		5				13	4				13.4	9			36.				1	17					_	00	é	Ç	2	_	30		-	_	_	*			_	-	-	-	-	**
			. 0	. 0	0 -	0 -	0 - 0	0 - 0	0 - 2	2 - 2	3 2 - 0	. 0 - 0 64	2 2 2 4	23 2 2 2	2 - 2 - 6	0 - 2 64	5 4 5	6 - 2 - 2	6. 4.3. 2.	6. 5. 4. 2. 2.	6. 5. 4. 2	6. 6. 4. 6.	6 6 4 43 2	6. 5. 4. 2. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	7 6 5 4 4 2 2 7 7	7. 6. 6. 4.3. 2. 7.	7 6 6 4 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 6 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 6 5 4 4	7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7. 6. 6. 4. 4. 7. 7. 18.	5 5 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 2 2 3 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	26 - 2	26 - 2	20. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	2	PETET 8 TRANSTER TENT SOLE FOR BEING	PETET 8 TRANSTER TENT SOLF FOR BOUND OF STATE OF	Petet8ts est a consection of section of sect	2 4 5 5 6 7 8 6 6 7 8 6 6 8 6 6 8 8 6 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	20	20

Remark	F.O.R. Destination	1,79,540.00 with CMC	taxes				-29	*										No	5.				
Rates	CMSD D. Dun De	₩ 3 £	ta								-	1					_	-				-	
Make/Brand/ Supplying Firm		M/s Medico Imaging																					
AMC/ CMC		32900.00 (CMC)																					
	CST	1					=																
88	SST/ VAT	no.			10	33.					- 5												
Taxes	ED/Custom Duty	lnc:																					
Rates per unit		141000.00																					
à			-													2							-
Item with Specification		BED SIDE MONITOR	The unit should have standard parameters like ECG, NIBP, SP02, respiration. Dual	Channel Invasive Blood Pressure, Dual Channel Temperature (T1 and T2) one number rectal & one number skin probe to	be provided also. Should have 10.4 inch high resolution TFT	multicolor. Light and very compact and weight	approximate 5 kg only (with battery).  Ease of waveform and Numeric positioning	with color coding for different parameters. It should have minimum 6 channel trace	display with user configurable 2 channel of independent lead selection from ECG.	12 Channel ECG Tracing with ST	segment detection. It should have easy to use operate optical	encoder knob with pop up menu system or better	Integral Battery backup of minimum two	hour. Direct keys for ECG lead selection, NIBP	on/off, preferably, recorder, Back to normal and alarm mute for ease of use and ease	access. Time saving.	ruse Oximetry it should have numeric with plethysmograph as well as Bar graph	Monitor should have interface to Central	Monitor can be connected to VGA slave	monitor for better screen viewing.  Monitor can be interfaced to any DC with at	least P3 configuration.	It should have 72 Hours of Graphical and Tabular Trends of All the Personators	double Helius of All the Parameters
			-		ĸ	er)	4	ıçi		9	7		80	9 - 1	- "	Ç		1.	12.7	13		14.	

Director General, Medical Health & F.W. Uttarakhand, Dehradun.

# SCHEDULE 'A'

win specification say.		vares per	Ta Ta	Taxes	190	AMC/ CMC	Make/Brand/ Supplying Firm	Rates	4	Remark
			EU/Custom Duty	VAT	3			CMSD D. Dun	F.O.R. Destination	
BED SIDE MONITOR	001	141000.00	Inc	2	1	32900.00 (CMC)	M/s Medico Imaging		1,79,540.00 with CMC Inc. of all taxes	
It Should Have Event Memory Which Records in Its Memory Last 20 Alarm Events alongwith A Snapshot Of ECG Waveform Of More Than 20 Seconds. Non Volatile Memory Hence Trends And Events Remain Stored in Memory Even After The Monitor Is Switched Off.	-			13.0					31	
Can Be preferably Used On Specific lbp Application Like Abp, Cvp Etc. With Pressure Transducers. The unit should be supplied with standard										
accessories like 5 Lead ECG Cable, Adult Spo2 Probe, Y sensor Spo2 Probe (Pediatric & Neonatal), Adult Cuff & Child Cuff with hose, Temperature Probe & IBP Cable & Transducer.							5			
Unit should be Upgradeable to Inbuilt Etco2 Function. Provision for Inbuilt Thermal Recorder should be available. The unit should operate on 220-240 VAC, 50 Hz.				5						
<ol> <li>Unit should confirm iSO/BIS/ISI/CE/FDA equivalent standards.</li> </ol>										

पी०एस०यू० (आर०ई०) 12 हिन्दी गजट / 200—माम 1-क-2008 (कम्प्यूटर / सीजियो)।

मुद्रक एवम् प्रकाशक-संयुक्त निदेशक. राजकीय मुद्रणालय, उत्तराखण्ड, रुड्की।